EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	168	(usb with (smartcard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:10
L6	0	(usb with (smartcard) with (enumerat4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:10
L7	0	(usb with (smartcard) with (enumerat$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:10
L8	8	(usb with (smartcard) and (enumerat$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:12
L9	66	4 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:34
L10	48	usb with (simulat$4 emulat$4 soft$4) with (disconnect$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:19
L11	28	10 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:34
S1	63	(first and second) near3 (enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:17
S2	30	S1 and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 09:19

S3	2	"6101557".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:04
S4	2	"6647434".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:01
S5	5985	(peripheral I?O) with ((conceal$4 hid$3 veil$4 block) with (function$4 capabilit$4 resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:42
S6	675	(peripheral I?O) with ((conceal$4 hid$3 veil$4 block) with (function$4 capabilit$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:09
S7	2	"5734847".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:04
S8	98	S6 and usb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:07
S9	23045095	(@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:12
S10	510	S6 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:44
S11	23	(peripheral I?O) with ((conceal$4 hid$3 veil$4) with (function$4 capabilit$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:12
S12	20	S9 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:10

S13	0	(peripheral I?O) with ((surpress) with (function$4 capabilit$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:13
S14	11	(peripheral I?O) with ((suppress) with (function$4 capabilit$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:15
S15	15393	(peripheral I?O) with ((function$4 capabilit$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:16
S16	200	(peripheral I?O) with ((remov$4) with (function$4 capabilit$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:17
S17	144	S9 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:17
S18	57	(peripheral I?O) with ((remove removing) with (function$4 capabilit$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:18
S19	134	(host with (i?o near3 processor) with peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:38
S20	5	(host with (i?o near3 processor) with peripheral) same scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:43
S21	134	(host with (i?o near3 processor) with peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:43
S22	113	S9 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 11:45

S23	63	(first and (subsequnet second)) near3 (enumeration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:42
S24	65362	(first and (subsequnet second)) near3 (configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:42
S25	2	S24 and (peripheral I?O) with ((conceal$4 hid$3 veil$4) with (function$4 capabilit$4 resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:45
S26	1202	(peripheral I?O) with ((list$4 specify$4) with (function$4 capabilit$4 resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:46
S27	170	(peripheral I?O) with ((list$4 specify$4) with (function$4 capabilit$4 resource)) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:47
S28	127	S9 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 12:47
S29	70	(private secret hidden) near3 (function resource capability) with (peripheral I/O)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:00
S30	4	(private secret hidden) near3 (function resource capability) with (peripheral I/O) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 14:36
S31	30	((private secret hidden) near3 (attribute configuration)) with (peripheral i?o)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:18
S32	33	((private secret hidden hide conceal withold) near3 (attribute configuration)) with (peripheral i?o)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:01

EAST Search History

S33	11245	(peripheral i/o device apparatus) with (enumerat$4 list specify) with (function ability capability resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:35
S34	138	(peripheral i/o device apparatus) with (enumerat$4 list$3 specify$4) with (function ability capability resource) with (private hidden hide unsupported disabled)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:35
S35	68	S9 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:03
S36	243	(usb with (peripheral I?O) with (enumerat$4 configur$4) with (host computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:05
S37	147	S36 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:06
S38	43	(usb with (peripheral I?O) with (enumerat$4) with (host computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:05
S39	44	(usb with (peripheral I?O) with (enumerat$4 configur$5) with (function resource ability capability) with (host computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:05
S40	36	S39 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:42
S41	2633	(peripheral i?o) with ((muliple plural plurlity) with (function ability capability) multi?function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:40
S42	2633	(peripheral i?o) with (((muliple plural plurlity) with (function ability capability)) multi?function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:41

S43	2360	(peripheral i?o) with (((muliple plural plurlity) near3 (function ability capability)) multi?function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:41
S44	43	S43 and ((mask$4 hid$4 hidden private) near3 (function ability capability))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:42
S45	39	S44 and (@ad<="20020715" or @rlad<="20020715")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:45
S46	31	(peripheral i?o) with enumerat$4 with (function capability ability) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:51